




Your Quotation:


Professional Cleaning Equipment
After Sales Service
Experience and Advice



TYPE H AIRVACS - CATEGORY 2 (GAS ZONE 1/DUST ZONE 21)

Model	Description	Offer Price + VAT ex works
MAV 15 H	On chassis, with 38 mm D1 A/S Tool Kit	£888.00
MAV 18 H	On caddy, with 38 mm D1 A/S Tool Kit	£1056.00
MAV 20 H	On chassis, with 38 mm D1 A/S Tool Kit	£979.60
MAV 30 H	On caddy, with 38 mm D1 A/S Tool Kit	£1,174.80
MAV 45 H	On caddy, with 38 mm D1 A/S Tool Kit	£1,185.60
All MAV TYPE H Vacs are supplied with 38mm D1 A/S tool kit , Spare A/S filter assembly & 5 microfibre bags		

Typical Performance



- This is a quotation on the goods named, subject to the conditions noted below.
 - This quotation is valid for 30 days from the date given.
- Subject to Terms & Conditions and terms of trading (available on request)
 - <http://www.morclean.com/terms-of-trading/>

Morclean are an ISO 9001 & 14001 registered firm and our quality administration systems have been assured and approved to the standards and guidelines of BS EN ISO 9001:2015 & BS EN ISO 14001:2015 for the sales, service and hire of industrial cleaning equipment. Our registration No is 94/121120 & E617/11240 and our standards and guidelines are externally audited by CIS. For Transport Obligations Costs and Risks Incoterms 2010 apply

Morclean Ltd registered in England No. 4605133
 VAT Reg No: 509296918. E & OE
 Directors: P.Morley, R.Green, R.Wilding | Company Secretary: A.Thomson.
 Speedwell Industrial Estate, Stephenson Road. Staveley. Chesterfield, Derbyshire. S43 3JN.
 Tel: 01246 471147

MAV 15-45 TYPE H AIRVACS CATEGORY 2 (GAS ZONE 1/DUST ZONE 21)

This range of MAV 15-45H Industrial Vacuum Cleaners is suitable for picking up hazardous dust and debris in Gas Zone 1 and Dust Zone 21. The Vacuum cleaner is fully earth bonded and has an anti-static (conductive) vacuum hose and air supply hose. Every vacuum cleaner is individually tested and provided with its own test certificates for filtration efficiency and earth path continuity.

This range is available in models MAV 15H, 18H, 20H, 30H and 45H.



FEATURES

- Easy to use
- Accessible for service
- Optimal suction power
- Robust Chassis
- Drain hose
- Large rear wheels and rotating front wheels
- Storage for accessories and cables
- For wet or dry vacuum application.

38mm D1 A5
Dry Vac Anti-static
Tool Kit



ATEX Category 2
Gas Zone 1 Dust Zone 21
CE II 2 G D c II C T50°C (T6)

TECHNICAL SPECIFICATIONS

Filtration:

1st Stage Disposable Microfibre Bag | 2nd Stage Anti-Static (Conductive) Cloth Filter
3rd Stage High Efficiency Particulate Air (HEPA) Filter | Efficiency 99.995% at 0.6 micron

Mobility

MAV15/20 - 4x75mm Conductive Heavy Duty Castors | MAV 18/30/45 - 2x75mm Conductive Heavy Duty Castors & 2x200mm Conductive Wheels on a Heavy Duty Tubular Steel (Stainless) Caddy. Canister detachable from Caddy

MAV 15H	560 x 380 x 380	10.2
MAV 18H	885 x 410 x 420	14.5
MAV 20H	730 x 440 x 440	15.5
MAV 30H	875 x 460 x 500	20.8
MAV 45H	975 x 460 x 500	21.7

Cleaning range from Air Point:
16 Metres/52 Feet

All models are supplied with a certificate of filtration efficiency, a certificate of earth path continuity, 5 disposable microfibre bags, a spare Anti-Static (conductive) cloth filter assembly, a 5 metre conductive air supply hose and a 38mm conductive hose and toolkit. All Morclean Airvacs ATEX approved as category 2 II 2 G D c II C T50 (T6)

